

ctys-scripts(1)

lists scripts

November 29, 2010

Contents

1	NAME	2
2	SYNTAX	2
3	DESCRIPTION	2
4	OPTIONS	2
5	ARGUMENTS	3
6	EXIT-VALUES	3
7	SEE ALSO	4
8	AUTHOR	4
9	COPYRIGHT	4

1 NAME

ctys-scripts - lists scripts

2 SYNTAX

ctys-scripts

```
[-d <level>]
[-e [<scripts-list>|<path-list>]]
[-h]
[-H <help-options>]
[-l]
[-m [<0>]]
[-V]
[-X]
[<scripts-list>]
```

3 DESCRIPTION

ctys-scripts lists and displays scripts from CTYS_SCRIPTS_PATH.

The '-e' option provides by default for Emacs based edit , but could be adapted by configuration of CTYS_SCRIPTEDIT

4 OPTIONS

-d <level>

Debug.

-e [<group-list>|<path-list>]

Edit one or multiple groups by **Emacs**. When no argument is provided the CTYS_SCRIPTS_PATH is evaluated and an Emacs instance is opened with all present directories. When a directory and/or group list - which is actually a file list - is provided, these are searched for the relative path provided, first from current directory, than by using each **existing entry** within **CTYS_SCRIPTS_PATH** as a prefix. Absolute paths are just evaluated for providing a valid filename/pathname.

The default editor could be configured within the distribution specific configuration file by **CTYS_SCRIPTEDIT**. Currently preconfigured editors/starters are: Emacs, gvim, vim, konqueror, and nautilus.

-h

Print help.

-H <help-option>

The extended help option is based on system interfaces for display of manpages, PDF and HTML documents. This comprises the man pages and installed manuals.

For additional help refer to the documents or type **ctys -H help**.

-l

Lists group definitions.

<filesize> <lines=members> <group-name>

-m [<0>]

List group members in different formats.

- 0 listing(default)

-V

Version.

-X

Terse.

.

5 ARGUMENTS

An optional list of scripts to be displayed only, if not provided all present scripts from directories within the variable CTYS_SCRIPTS_PATH are scanned and displayed. The given strings are just matched within the pathname of found script files, thus could be partial filenames.

.

6 EXIT-VALUES

0: OK: Result is valid.

1: NOK: Erroneous parameters.

2: NOK: Missing an environment element like files or databases.

7 SEE ALSO

8 AUTHOR

Maintenance: <acue_sf1@sourceforge.net>
Homepage: <<http://www.UnifiedSessionsManager.org>>
Sourceforge.net: <<http://sourceforge.net/projects/ctys>>
Berlios.de: <<http://ctys.berlios.de>>
Commercial: <<http://www.i4p.com>>



9 COPYRIGHT

Copyright (C) 2008, 2009, 2010 Ingenieurbuero Arno-Can Uestuensoez
For BASE package following licenses apply,

- for software see GPL3 for license conditions,
- for documents see GFDL-1.3 with invariant sections for license conditions,

This document is part of the **DOC package**,

- for documents and contents from DOC package see
'Creative-Common-Licence-3.0 - Attrib: Non-Commercial, Non-Deriv'
with optional extensions for license conditions.

For additional information refer to enclosed Releasenotes and License files.

